DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home:	Ex. 6 - Personal Privacy				
		Field Sample ID:	MWF-METALS-011 **	MWF-METALS-012 **	MWF-METALS-013 **	MWF-METALS-014 **	MWF-METALS-015 **	MWF-METALS-016 **
		Sample Date:	6/16/2016	6/16/2016	6/16/2016	6/16/2016	6/16/2016	6/16/2016
		Laboratory Job Number:	82565	82565	82565	82565	82565	82565
		Adult / Child / Duplicate:		Duplicate		Duplicate		Duplicate
Metals / NIOSH-7303(M)								
Aluminum	µg/m^3		1.16	0.911	0.972	0.795	1.01	0.974
Antimony	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3		0.257	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3		14.2 *	12.1 *	12.5 *	12.1 *	12.1 *	12.5 *
Chromium	µg/m^3		0.314	0.354	0.2	**J**	**1.19**	**1.13**
Cobalt	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3		1.23 J	0.333 J	0.333 J	1.34 J	1.34 J	0.932 J
Lead	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3		0.888 J	0.860	0.860	0.860	0.860	0.770
Manganese	µg/m^3		0.263	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3		0.588 * J	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3		3.95	3.42	4.06 J	2.60 J	4.93	4.75
Thallium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3		0.496 J	0.272 J	0.343	0.422	0.266 J	6.12 J

Notes:
Bold results exceed applicable limits for characteristic hazardous wastes
ND<X = constituents(s) not detected at or above method detection limit
* = Trace level of target analyte was detected in the associated field blank and the result was adjusted by field blank concentration
J = analyte was detected. However, analyte concentration is an estimated value which is between the method detection limit (MDL) and the practical quantitation limit (PQL)
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-017 **	MWF-METALS-018 **	MWF-METALS-019 **	MWF-METALS-020 **	MWF-METALS-021 **	MWF-METALS-023 **
	Sample Date:	6/16/2016	6/16/2016	6/16/2016	6/16/2016	6/17/2016	6/17/2016
	Laboratory Job Number:	82565	82565	82565	82565	82565	82565
	Adult / Child / Duplicate:		Duplicate		Duplicate		
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	1.56	1.21	1.32 J	2.18 J	0.927	1.48
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	13.7 *	11.3	[illegible]	*	7.70 *	6.86 *
Chromium	µg/m³	**1.55**	**1.5**	0.2[illegible]	**J**	0.323	ND<0.25
Cobalt	µg/m³	D<0.25	ND<0.2[illegible]	<0.25	.25	ND<0.25	ND<0.25
Copper	µg/m³	D<0.25	ND<[illegible]	D<0.25	.25	ND<0.25	ND<0.25
Iron	µg/m³	D<0.25	[illegible]	2.83 J		1.10	0.696
Lead	µg/m³	D<0.25	D<0.25	ND<0.25	.25	ND<0.25	ND<0.25
Magnesium	µg/m³	1.07	[illegible]	[illegible]	.25	0.476	ND<0.25
Manganese	µg/m³	ND<0.25	ND[illegible]	ND<0.25	.25	ND<0.25	1.32
Molybdenum	µg/m³	ND<0.25	ND<[illegible]	ND<0.25	.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.2[illegible]	ND<0.25	.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	0.620 J	.25	1.24	2.07
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	5.80	6.12	5.67	5.42	4.38 *	7.72 *
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	0.326	0.304	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-024 **	MWF-METALS-025 **	MWF-METALS-026 **	MWF-METALS-027 **	MWF-METALS-028 **	MWF-METALS-029 **
	Sample Date:	6/17/2016	6/17/2016	6/17/2016	6/18/2016	6/18/2016	6/18/2016
	Laboratory Job Number:	82565	82565	82565	82565	82565	82565
	Adult / Child / Duplicate:						
Parameters	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.948	0.929	0.829	0.767 *	0.419 *	0.491 *
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	5.26 *	4.58	[illegible]	[illegible] *	3.66 *	ND<0.25
Chromium	µg/m³	ND<0.25	**0.66**	ND<0.25	ND<0.25	ND<0.25	**0.519** *
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	3.841	[illegible]	ND<0.25	[illegible]	ND<0.25	3.85
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	ND<0.25	[illegible]	[illegible]	ND<0.25	ND<0.25	0.312
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	1.16	0.870	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	5.74 *	4.93 *	3.72 *	3.33 *	3.44 *	0.763 *
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-030 **	MWF-METALS-044 **	MWF-METALS-045 **	MWF-METALS-048 **	MWF-METALS-049 **	MWF-METALS-050 **
	Sample Date:	6/18/2016	6/22/2016	6/22/2016	6/22/2016	6/22/2016	6/22/2016
	Laboratory Job Number:	82565	82731	82731	82731	82731	82731
	Adult / Child / Duplicate:				Adult	Child	Adult
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	0.471 *	ND<0.25	0.437	ND<0.25	ND<0.25	ND<0.25
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3	ND<0.25	1.74	1.74	1.74 *	2.49 *	2.05 *
Chromium	µg/m^3	ND<0.25 *	0.272 *	0.275 *	0.275 *	0.338 *	ND<0.25 *
Cobalt	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	1.31	1.31	1.31	ND<0.25	ND<0.25
Lead	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.366	0.652	0.652	0.652	0.656	0.465
Manganese	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3	ND<0.25	0.846	2.07	1.48	1.22	0.732
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	1.47 *	ND<0.25	2.58	ND<0.25	0.588	ND<0.25
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.352	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-051 **	MWF-METALS-052 **	MWF-METALS-053 **	MWF-METALS-056 **	MWF-METALS-057 **	MWF-METALS-058 **
	Sample Date:	6/22/2016	6/22/2016	6/22/2016	6/23/2016	6/23/2016	6/23/2016
	Laboratory Job Number:	82731	82731	82731	82746	82746	82746
	Adult / Child / Duplicate:	Child	Adult	Child	Adult	Child	Adult
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	ND<0.25	0.495	ND<0.25	0.612	0.351	0.459
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3	1.07 *	3.36	[illegible]	[illegible] *	1.30 *	1.17 *
Chromium	µg/m^3	ND<0.25 *	0.296 *	[illegible]96 *	**[illegible]5**	**0.832**	0.323
Cobalt	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Lead	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.410	[illegible]	[illegible]	[illegible]7	0.490	0.502
Manganese	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible].25	ND<0.25	ND<0.25
Potassium	µg/m^3	1.09	1.37	1.02	[illegible].25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	ND<0.25	0.560	ND<0.25	3.19	1.83	1.30
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25	0.437	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters							
	Home:	**Ex. 6 - Personal Privacy**					
	Field Sample ID:	**MWF-METALS-059 ****	**MWF-METALS-060 ****	**MWF-METALS-061 ****	**MWF-METALS-062 ****	**MWF-METALS-063 ****	**MWF-METALS-064 ****
	Sample Date:	**6/23/2016**	**6/23/2016**	**6/23/2016**	**6/23/2016**	**6/23/2016**	**6/23/2016**
	Laboratory Job Number:	**82746**	**82746**	**82746**	**82746**	**82746**	**82746**
	Adult / Child / Duplicate:	**Child**	**Adult**	**Child**	**Adult**	**Child**	**Adult**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.619	0.573	0.335	0.294	ND<0.25	0.362
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	µg/m³	0.943 *	[illegible]	[illegible]	[illegible]	0.506 *	1.56 *
Chromium	µg/m³	0.477	**0.848**	[illegible]	[illegible]	**0.752**	**0.628**
Cobalt	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Lead	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	0.440	0.328
Manganese	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	2.19	0.920	ND<0.25	0.289	0.918	1.03
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-065 **	MWF-METALS-066 **	MWF-METALS-067 **	MWF-METALS-070 **	MWF-METALS-071 **	MWF-METALS-072 **
	Sample Date:	6/23/2016	6/23/2016	6/23/2016	6/23/2016	6/23/2016	6/23/2016
	Laboratory Job Number:	82746	82746	82746	82746	82746	82746
	Adult / Child / Duplicate:	Child			Adult	Child	Adult
	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	0.329	ND<0.25	ND<0.25	0.278	0.400	0.348
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3	0.849 *	1.18	1.18 *	1.18 *	2.18 *	1.18 *
Chromium	µg/m^3	**0.915**	0.409	**0.548**	0.408	0.411	0.407
Cobalt	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.336	1.62	1.62	1.62	1.62	0.457
Manganese	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	1.42	0.457	0.411	0.960	0.846	0.575
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	1.05	ND<0.25	ND<0.25	0.987

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-073 **	MWF-METALS-074 **	MWF-METALS-075 **	MWF-METALS-076 **	MWF-METALS-077 **	MWF-METALS-078 **
	Sample Date:	6/23/2016	6/23/2016	6/23/2016	6/23/2016	6/23/2016	6/23/2016
	Laboratory Job Number:	82746	82746	82746	82746	82746	82746
	Adult / Child / Duplicate:	Child	Adult	Child	Adult	Child	Adult
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.465	0.573	0.333	ND<0.25	0.345	0.383
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	1.23 *	1.95	*	*	ND<0.25 *	0.965 *
Chromium	µg/m³	**1.56**	0.442	0.481	0.417	0.475	
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.481			1.25	0.716	
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	0.960	0.839	4.51	0.384	ND<0.25	0.646
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	0.619	16.3	1.02	6.16	0.306	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home:	Ex. 6 - Personal Privacy				
		Field Sample ID:	MWF-METALS-079 **	MWF-METALS-082 **	MWF-METALS-083 **	MWF-METALS-084 **	MWF-METALS-085 **	MWF-METALS-086 **
		Sample Date:	6/23/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016
		Laboratory Job Number:	82746	82851	82851	82851	82851	82851
		Adult / Child / Duplicate:	Child	Adult	Child	Child	Adult	Adult
Metals / NIOSH-7303(M)								
Aluminum	µg/m^3		0.372	2.77 *	1.83 *	2.08 *	1.58 *	2.85 *
Antimony	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3		2.75 *	2.22 *	1.83 *	2.08 *	1.22 *	3.59 *
Chromium	µg/m^3		0.483	ND<0.25	ND<0.25	ND<0.25 *	ND<0.25 *	ND<0.25 *
Cobalt	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3		ND<0.25	0.288	0.288	ND<0.25	ND<0.25	0.286 J
Lead	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3		0.854	0.349 *	0.349 *	0.349 *	ND<0.25 *	0.349 *
Manganese	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25 *	ND<0.25	ND<0.25
Selenium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3		1.84	20.3	17.6	18.0	14.9	18.7
Thallium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3		ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3		0.509	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-087 **	MWF-METALS-088 **	MWF-METALS-089 **	MWF-METALS-090 **	MWF-METALS-091 **	MWF-METALS-092 **
	Sample Date:	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016
	Laboratory Job Number:	82851	82851	82851	82851	82851	82851
	Adult / Child / Duplicate:	Child	Adult	Child	Child	AdultDuplicate	Adult
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	2.44 *	0.273 *	ND<0.25 *	0.328 *	0.456 *	0.284 *
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	1.35 *	0.963 *	0.[illegible] *	[illegible] *	1.86 J	1.39 *
Chromium	µg/m³	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	0.499 J	0.522 J
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.191 *	[illegible] *	[illegible]	ND<0.25 *	0.421 *	0.358 J
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25 *	0.497 J	ND<0.25 *
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	16.0	2.02	ND<0.25	1.37	3.13 J	1.90
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-093 **	MWF-METALS-094 **	MWF-METALS-095 **	MWF-METALS-096 **	MWF-METALS-097 **	MWF-METALS-098 **
	Sample Date:	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016
	Laboratory Job Number:	82851	82851	82851	82851	82851	82851
	Adult / Child / Duplicate:	Adult	Child		Child	Adult	Child
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.379 *	ND<0.25 *	0.359 *	ND<0.25 *	0.276 *	0.285 *
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	2.05 *	0.443 *	1.70 *	0.966 *	0.966 *	ND<0.25 *
Chromium	µg/m³	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *	ND<0.25 *
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	0.558 J	0.558 J	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.561 J	0.406 *	0.406 *	0.406 *	0.406 *	0.386 *
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	2.98	0.720	2.56	1.45	2.70	1.45
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	**MWF-METALS-099 ****	**MWF-METALS-100 ****	**MWF-METALS-101 ****	**MWF-METALS-102 ****	**MWF-METALS-103 ****	**MWF-METALS-104 ****
	Sample Date:	**6/24/2016**	**6/24/2016**	**6/24/2016**	**6/24/2016**	**6/24/2016**	**6/24/2016**
	Laboratory Job Number:	**82851**	**82851**	**82851**	**82851**	**82851**	**82851**
	Adult / Child / Duplicate:	**Child**	**Adult**	**Adult**	**Child**	**ChildDuplicate**	**Adult**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.607 *	ND<0.25 *	1.55 *	0.311 *	ND<0.25 *	ND<0.25 *
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	ND<0.25	ND<0.25	ND<0.25	N[illegible]0.25	[illegible]0.25
Cadmium	[illegible]	ND<0.25	[illegible]	N[illegible]	[illegible]	N[illegible]	[illegible]0.25
Calcium	µg/m³	1.01 *	0.66[illegible]	[illegible] *	[illegible] *	ND<0.25 *	0.979 *
Chromium	µg/m³	[illegible]D<0.25 *	ND<0.25[illegible]	[illegible]0.25	N[illegible]25 *	ND<0.25 *	ND<0.25 *
Cobalt	µg/m³	[illegible]D<0.25	ND<0.2[illegible]	[illegible]<0.25	[illegible]25	ND<0.25	ND<0.25
Copper	µg/m³	[illegible]D<0.25	ND[illegible]	[illegible]D<0.25	[illegible]25	ND<0.25	ND<0.25
Iron	µg/m³	[illegible]<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Lead	µg/m³	[illegible]<0.25	[illegible]<0.25	ND<0.25	[illegible]25	ND<0.25	ND<0.25
Magnesium	µg/m³	[illegible].332 *	[illegible] *	[illegible]	N[illegible]25 *	0.263 *	ND<0.25 *
Manganese	µg/m³	[illegible]D<0.25	N[illegible]	ND<0.25	[illegible]25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<[illegible]	ND<0.25	[illegible]25	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	ND<0.2[illegible]	ND<0.25	[illegible]25	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	2.97	0.595	ND<0.25	0.762	1.61	0.814
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-105 **	MWF-METALS-106 **	MWF-METALS-109 **	MWF-METALS-110 **	MWF-METALS-111 **	MWF-METALS-112 **
	Sample Date:	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016	6/24/2016
	Laboratory Job Number:	82851	82851	82851	82851	82851	82851
	Adult / Child / Duplicate:	Child	Adult	Adult	ChildDuplicate	Child	Child
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.406 J	ND<0.25 *	0.402 *	0.360 *	0.362 *	0.275 J
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	0.354 *	2.93	0.[illegible] J	[illegible] J	2.44 J	2.01 J
Chromium	µg/m³	ND<0.25 *	ND<0.25	ND<0.25	ND<0.25 *	ND<0.25 *	ND<0.25 *
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	ND<0.25 *	[illegible] *	[illegible]	ND<0.25 *	0.554 J	0.442 *
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25 J	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	1.22	ND<0.25	0.807 J	1.92 J	6.57	6.05 J
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-113 **	MWF-METALS-114 **	MWF-METALS-115 **	MWF-METALS-122	MWF-METALS-123	MWF-METALS-124
	Sample Date:	6/24/2016	6/24/2016	6/24/2016	6/25/2016	6/25/2016	6/25/2016
	Laboratory Job Number:	82851	82851	82851	82856	82856	82856
	Adult / Child / Duplicate:	Adult	AdultDuplicate	ChildDuplicate	Adult	Adult	Child
	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	ND<0.25 *	ND<0.25 *	0.471 J	ND<0.25	ND<0.25	0.279
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3	1.33 J	0.893 J	0.[illegible] J	ND<0.25	ND<0.25	1.59 *
Chromium	µg/m^3	ND<0.25 *	ND<0.25 *	ND<0.25 *	0.263	0.263	0.336
Cobalt	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.314 *	0.[illegible] *	0.[illegible] *	0.352	0.352	0.325
Manganese	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	4.89	4.22	0.807 J	ND<0.25	ND<0.25	ND<0.25
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters							
	Home:	**Ex. 6 - Personal Privacy**					
	Field Sample ID:	**MWF-METALS-125**	**MWF-METALS-126**	**MWF-METALS-127**	**MWF-METALS-128**	**MWF-METALS-129**	**MWF-METALS-130**
	Sample Date:	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**
	Laboratory Job Number:	**82856**	**82856**	**82856**	**82856**	**82856**	**82856**
	Adult / Child / Duplicate:	**Child**	**Child**	**Adult**	**Child**	**AdultDuplicate**	**ChildDuplicate**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	1.67	ND<0.25	0.376	0.672	ND<0.25	ND<0.25
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	µg/m³	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Chromium	µg/m³	0.365	0.367	[illegible]	[illegible]	0.342	0.362
Cobalt	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Lead	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	0.498	0.468
Manganese	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	1.17	ND<0.25	0.752	0.576	ND<0.25	ND<0.25
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	**MWF-METALS-131**	**MWF-METALS-132**	**MWF-METALS-133**	**MWF-METALS-134**	**MWF-METALS-135**	**MWF-METALS-136**
	Sample Date:	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**	**6/25/2016**
	Laboratory Job Number:	**82856**	**82856**	**82856**	**82856**	**82856**	**82856**
	Adult / Child / Duplicate:	**Child**	**Adult**	**Child**	**ChildDuplicate**	**Child**	**Adult**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	$\mu g/m^3$	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Chromium	$\mu g/m^3$	0.311	0.356	[illegible]	[illegible]	0.361	0.258
Cobalt	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Lead	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	0.602	0.478
Manganese	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	ND<0.25	ND<0.25	1.52	3.38	3.72	2.39
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-137	MWF-METALS-138	MWF-METALS-139	MWF-METALS-140	MWF-METALS-141	MWF-METALS-142
	Sample Date:	6/25/2016	6/25/2016	6/25/2016	6/25/2016	6/25/2016	6/25/2016
	Laboratory Job Number:	82856	82856	82856	82856	82856	82856
	Adult / Child / Duplicate:	Adult	Adult	Child	Child	Adult	AdultDuplicate
	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m^3	ND<0.25	ND<0.25	0.890	ND<0.25	ND<0.25	ND<0.25
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m^3	ND<0.25	ND<0.25	0.250	0.250	0.424 *	0.301 *
Chromium	µg/m^3	ND<0.25	0.368	0.282	0.251	0.315	0.43
Cobalt	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m^3	0.610	0.250	0.250	0.250	0.600	0.783
Manganese	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	2.32	ND<0.25	4.06	0.700	6.90	5.31
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-143	MWF-METALS-144	MWF-METALS-145	MWF-METALS-150 **	MWF-METALS-151 **	MWF-METALS-152 **
	Sample Date:	6/25/2016	6/26/2016	6/26/2016	7/1/2016	7/1/2016	7/1/2016
	Laboratory Job Number:	82856	82856	82856	82949	82949	82949
	Adult / Child / Duplicate:	Adult	Adult	Child	Child	Adult	ChildDuplicate
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	ND<0.25	ND<0.25	ND<0.25	1.22	0.800	0.522
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	1.71 *	1.24	0.2	2	5.53	7.11
Chromium	µg/m³	0.318	0.298	0.2	25	ND<0.25	ND<0.25
Cobalt	µg/m³	D<0.25	ND<0.2	<0.25	25	ND<0.25	ND<0.25
Copper	µg/m³	D<0.25	ND<0	D<0.25	25	ND<0.25	ND<0.25
Iron	µg/m³	D<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Lead	µg/m³	D<0.25	D<0.25	ND<0.25	25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.658			6	1.56	1.63
Manganese	µg/m³	ND<0.25	ND	ND<0.25	25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<	ND<0.25	25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.2	ND<0.25	25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	4.79	ND<0.25	1.72	12.8	9.51	9.18
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	0.332	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-153 **	MWF-METALS-154 **	MWF-METALS-155 **	MWF-METALS-156D **	MWF-METALS-157D **	MWF-METALS-158 **
	Sample Date:	7/1/2016	7/1/2016	7/1/2016	7/1/2016	7/1/2016	7/1/2016
	Laboratory Job Number:	82949	82949	82949	82949	82949	82951
	Adult / Child / Duplicate:	AdultDuplicate	Adult	Child	AdultDuplicate	ChildDuplicate	Child
Parameters	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	1.03	ND<0.25	ND<0.25	1.29	0.465	1.07
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	6.92	2.10	7	2	5.38	4.20
Chromium	µg/m³	ND<0.25	ND<0.25	0.25	25	ND<0.25	ND<0.25
Cobalt	µg/m³	ND<0.25	ND<0.25	<0.25	25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Magnesium	µg/m³	1.69	8	8	8	0.939	1.13
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Potassium	µg/m³	0.659	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	12.1	3.50	5.07	5.40	6.07	8.78
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters							
	Home:	**Ex. 6 - Personal Privacy**					
	Field Sample ID:	**MWF-METALS-159 ****	**MWF-METALS-160**	**MWF-METALS-161**	**MWF-METALS-162 ****	**MWF-METALS-163 ****	**MWF-METALS-164**
	Sample Date:	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**
	Laboratory Job Number:	**82951**	**82951**	**82951**	**82951**	**82951**	**82951**
	Adult / Child / Duplicate:	**Adult**	**ChildDuplicate**	**AdultDuplicate**	**Adult**	**Child**	**AdultDuplicate**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	1.16	ND<0.25	0.283	0.403	0.556	0.732
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	µg/m³	2.98	[illegible]	[illegible]	[illegible]	3.96	5.74
Chromium	µg/m³	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Cobalt	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Lead	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	µg/m³	0.980	[illegible]	[illegible]	[illegible]	1.58	1.74
Manganese	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	8.63	8.31	7.14	12.1	9.59	11.6
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

Parameters	Home:	Ex. 6 - Personal Privacy					n
	Field Sample ID:	**MWF-METALS-165**	**MWF-METALS-166 ** **	**MWF-METALS-167 ** **	**MWF-METALS-168D ** **	**MWF-METALS-169D ** **	**MWF-METALS-170 ** **
	Sample Date:	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**	**7/1/2016**
	Laboratory Job Number:	**82951**	**82951**	**82951**	**82951**	**82951**	**82954**
	Adult / Child / Duplicate:	**ChildDuplicate**	**Adult**	**Child**	**AdultDuplicate**	**ChildDuplicate**	**Adult**
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	0.509	3.07	3.14	2.68	2.47	0.714
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	µg/m³	5.59	[illegible]	[illegible]	[illegible]	27.5	5.42
Chromium	µg/m³	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Cobalt	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	µg/m³	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	0.822
Lead	µg/m³	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	µg/m³	1.84	[illegible]	[illegible]	[illegible]	2.84	0.792
Manganese	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	12.2	8.46	7.49	8.57	9.41	3.62
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	0.254	ND<0.25	ND<0.25	0.484

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

DRAFT - DO NOT REPRODUCE

	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-171 **	MWF-METALS-172 **	MWF-METALS-173 **	MWF-METALS-190 **	MWF-METALS-191 **	MWF-METALS-174D **
	Sample Date:	7/1/2016	7/1/2016	7/1/2016	7/2/2016	7/2/2016	7/2/2016
	Laboratory Job Number:	82954	82954	82954	82955	82955	82955
	Adult / Child / Duplicate:	Child	Child	Adult	Adult	Child	ChildDuplicate
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	μg/m^3	0.349	0.608	0.799	ND<0.25	ND<0.25	ND<0.25
Antimony	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.510
Beryllium	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	μg/m^3	5.24	[illegible]	[illegible]	[illegible]	0.762	ND<0.25
Chromium	μg/m^3	ND<0.25	ND<0.25	[illegible]	[illegible]	ND<0.25	ND<0.25
Cobalt	μg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Copper	μg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Iron	μg/m^3	[illegible]	[illegible]	0.917	[illegible]	ND<0.25	ND<0.25
Lead	μg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	μg/m^3	[illegible]	[illegible]	[illegible]	[illegible]	0.594	0.656
Manganese	μg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	μg/m^3	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	μg/m^3	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	ND<0.25	ND<0.25	ND<0.25	[illegible]	ND<0.25	ND<0.25
Selenium	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	μg/m^3	3.87	7.23	6.88	2.68	2.52	2.46
Thallium	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	μg/m^3	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	μg/m^3	ND<0.25	ND<0.25	0.313	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
μg/kg = microgram per kilogram
μg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-175D **	MWF-METALS-176 **	MWF-METALS-177 **	MWF-METALS-178 **	MWF-METALS-179 **	MWF-METALS-192D **
	Sample Date:	7/2/2016	7/2/2016	7/2/2016	7/2/2016	7/2/2016	7/2/2016
	Laboratory Job Number:	82955	82955	82955	82955	82955	82955
	Adult / Child / Duplicate:	AdultDuplicate	Adult	Child	Adult	Child	AdultDuplicate
	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.414	ND<0.25
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	ND<0.25	0.46	4	6	1.65	ND<0.25
Chromium	µg/m³	ND<0.25	ND<0.2	0.2	25	ND<0.25	ND<0.25
Cobalt	µg/m³	D<0.25	ND<0.2	<0.25	25	ND<0.25	ND<0.25
Copper	µg/m³	D<0.25	ND<0	D<0.25	25	ND<0.25	ND<0.25
Iron	µg/m³	D<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Lead	µg/m³	D<0.25	D<0.25	ND<0.25	25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.642			1	0.784	0.536
Manganese	µg/m³	ND<0.25	ND	ND<0.25	25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<	ND<0.25	25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.2	ND<0.25	25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	25	ND<0.25	ND<0.25
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	2.90	3.78	4.10	2.39	3.51	2.02
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-193D **	MWF-METALS-202	MWF-METALS-203	MWF-METALS-400	MWF-METALS-401	MWF-METALS-217 **
	Sample Date:	7/2/2016	6/27/2016	6/27/2016	7/2/2016	7/22/2016	7/5/2016
	Laboratory Job Number:	82955	82873	82873	82955	82955	83088
	Adult / Child / Duplicate:	ChildDuplicate	Adult	Child	Adult	Child	Adult
	Units						
Metals / NIOSH-7303(M)							
Aluminum	µg/m³	ND<0.25	0.376 *	ND<0.25 *	ND<0.25	ND<0.25	ND<0.25
Antimony	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.498	ND<0.25
Beryllium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Calcium	µg/m³	0.714	1.90	ND<0.25	ND<0.25	ND<0.25	3.91
Chromium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Cobalt	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Copper	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Iron	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	0.340
Lead	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Magnesium	µg/m³	0.535	*	*	0.717	0.682	ND<0.25
Manganese	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Molybdenum	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	1.18
Selenium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m³	2.46	2.94 *	ND<0.25 *	2.69	2.48	1.57
Thallium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m³	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m³ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy					
	Field Sample ID:	MWF-METALS-218 **	MWF-METALS-221 **	MWF-METALS-222 **	MWF-METALS-223 **	MWF-METALS-224 **	MWF-METALS-225 **
	Sample Date:	7/5/2016	7/5/2016	7/5/2016	7/5/2016	7/5/2016	7/5/2016
	Laboratory Job Number:	83088	83088	83088	83088	83088	83088
	Adult / Child / Duplicate:	Child	Child	Adult	Adult	Child	Adult
Parameters	**Units**						
Metals / NIOSH-7303(M)							
Aluminum	$\mu g/m^3$	0.343	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Antimony	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Arsenic	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Barium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Beryllium	$\mu g/m^3$	ND<0.25	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]
Cadmium	[illegible]	ND<0.25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Calcium	$\mu g/m^3$	1.76	[illegible]	[illegible]	[illegible]	ND<0.25	0.306
Chromium	$\mu g/m^3$	ND<0.25	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Cobalt	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Copper	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Iron	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Lead	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Magnesium	$\mu g/m^3$	[illegible]	[illegible]	[illegible]	[illegible]	ND<0.25	ND<0.25
Manganese	$\mu g/m^3$	[illegible]	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Molybdenum	$\mu g/m^3$	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Nickel	[illegible]	ND<0.25	[illegible]	ND<0.25	[illegible]	ND<0.25	ND<0.25
Potassium	[illegible]	0.607	ND<0.25	0.545	[illegible]	ND<0.25	0.265
Selenium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Sodium	$\mu g/m^3$	2.51	1.05	1.53	0.717	0.524	0.795
Thallium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Vanadium	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25
Zinc	$\mu g/m^3$	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
$\mu g/kg$ = microgram per kilogram
$\mu g/m^3$ = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE

Table 1
Draft Indoor Air Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Units	Home: Ex. 6 - Personal Privacy		
	Field Sample ID:	MWF-METALS-226 **	MWF-METALS-402 **	MWF-METALS-403 **
	Sample Date:	7/5/2016	7/10/2016	7/10/2016
	Laboratory Job Number:	83088	83144	83144
	Adult / Child / Duplicate:	Child	Adult	Child
Metals / NIOSH-7303(M)				
Aluminum	µg/m^3	ND<0.25	0.340	0.301
Antimony	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Arsenic	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Barium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Beryllium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Cadmium	µg/m^3	ND<0.25	ND<0.25	
[illegible]ium	µg/m^3	ND<0.25	7.82	4.22
[illegible]mium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]sium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]anese	µg/m^3	ND<0.25	ND<0.25	ND<0.25
[illegible]ybdenum	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Nickel	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Potassium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Selenium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Sodium	µg/m^3	0.469	ND<0.25	ND<0.25
Thallium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Vanadium	µg/m^3	ND<0.25	ND<0.25	ND<0.25
Zinc	µg/m^3	ND<0.25	ND<0.25	ND<0.25

Notes:
Bold results exceed applicable limits for chara
ND<X = constituents(s) not detected at or abo
* = Trace level of target analyte was detected
J = analyte was detected. However, analyte co
µg/kg = microgram per kilogram
µg/m^3 = microgram per cubic meter
** = Sample data has been validated

DRAFT - DO NOT REPRODUCE